

# **DATA SHEET**

Product Name Radial Type Cement Fixed Resistors

Part Name PRM Series File No. DIP-SP-029

# Uniroyal Electronics Global Co., Ltd.

88#, Longteng Road, Economic & Technical Development Zone, Kunshan, Jiangsu, China

Tel	+86 512 5763 1411 / 22 /33
Email	marketing@uni-royal.cn
Manufacture Plant	Uniroyal Electronics Industry Co., Ltd.
	Aeon Technology Corporation
	Royal Electronic Factory (Thailand) Co., Ltd.
	Royal Technology (Thailand) Co., Ltd.





#### 1. <u>Scope</u>

This datasheet is the characteristics of Radial Type Cement Fixed Resistors manufactured by UNI-ROYAL.

- 1.1 Compliant with RoHS directive.
- 1.2 Halogen free requirement.

# 2. Part No. System

The standard Part No. includes 14 digits with the following explanation:

- 2.1 For Cement Fixed Resistors, these 4 digits are to indicate the product type but if the product type has only 3 digits, the 4<sup>th</sup> digit will be "0" Example: PRM0=PRM- type
- 2.2  $5^{\text{th}} \sim 6^{\text{th}}$  digits:
- 2.2.1 For power of 1 watt to 16 watt ,the 5th digit will be a number or a letter code and the 6th digit will be the letters of W. Example: 5W=5W; AW=10W;
- 2.2.2 For power rating Between 20 watt to 99 watt, the 5<sup>th</sup> and the 6<sup>th</sup> digits will show the whole numbers of the power rating itself.Example: 20=20W 75=75W
- 2.3 The 7<sup>th</sup> digit is to denote the Resistance Tolerance. The following letter code is to be used for indicating the standard Resistance Tolerance.  $J=\pm5\%$  K=  $\pm10\%$
- 2.4 The 8<sup>th</sup> to 11<sup>th</sup> digits is to denote the Resistance Value.
- 2.4.1 For Cement Fixed Resistors the 8<sup>th</sup> digits will be coded with "W"or "P"to denote Wire-wound type or Power Film type respectively of the Cement Fixed Resistor product. the 9<sup>th</sup> & 10<sup>th</sup> digits are to denote the significant figures of the resistance and the 11<sup>th</sup> digit is the number of zeros following

Example:  $W12J=1.2\Omega$   $W120=12\Omega$   $P273=27K\Omega$ 

- 2.5 The  $12^{th}$ ,  $13^{th}$  &  $14^{th}$  digits.
- 2.5.1 The 12th digit is to denote the Packaging Type with the following codes: B=Bulk/Box
- 2.5.2 The 13th digit is normally to indicate the Packing Quantity, This digit should be filled with "0" for the Cement products with


"Bulk/Box" packing requirements.

2.5.3 For some items, the 14<sup>th</sup> digit alone can use to denote special features of additional information with the following codes or standard product

Example: 0= standard product

## 3. Ordering Procedure

(Example: PRM 5W  $\pm$ 5% 120K $\Omega$  B/B )








# 4. Marking

Example:



Code description and regulation:

1. Wattage Rating

2. Nominal Resistance Value

3. Resistance Tolerance. J:  $\pm$  5%

K: ± 10%

4. Pattern:


M: Power film

W: Wire wound

Color of marking: Black Ink


Note: The marking code shall be prevailed in kind!


#### 5. Ratings & Dimension



Туре	Dimension(mm)					Max Working	Max Overload	Resistance Range	
	W±1	D±1	L±1	P±1	d±0.05	Voltage	Voltage	Wire Wound	Power Film
PRM 2W	11.5	7.5	20	5	0.70	250V	500V	0.1Ω-27Ω	28Ω-120ΚΩ
PRM 3W	12.5	8.5	25	5	0.70	300V	600V	0.1Ω-39Ω	40Ω-150ΚΩ
PRM 5W	13	9	25	5	0.75	350V	700V	0.1Ω-47Ω	48Ω-150ΚΩ
PRM 7W	13	9	38	5	0.75	500V	1000V	0.1Ω-680Ω	681Ω-200ΚΩ
PRM10W	13	9	50	5	0.75	700V	1400V	0.1Ω-910Ω	911Ω-200ΚΩ

#### 6. Derating Curve









#### 6.1 Voltage rating:

Resistors shall have a rated direct-current (DC) continuous working voltage or an approximate sine-wave root-mean-square (RMS) alternating-current (AC) continuous working voltage at commercial-line frequency and waveform corresponding to the power rating, as determined from the following formula:

 $RCWV = \sqrt{P \times R}$ 


Where: RCWV = rated dc or RMS ac continuous working voltage at

commercial-line frequency and waveform (VOLT.)


P = power rating (WATT.)

R= nominal resistance (OHM)

## 7. <u>Structure</u>



(POWER FILM)



No.	Name	Material Generic Name		
1	Body	Al <sub>2</sub> O <sub>3</sub>		
2	Cap	Tin plated iron		
3	Lead	Copper wire		
4	Ceramic case	Al <sub>2</sub> O <sub>3</sub> CaO		
5	Filling materials	SiO <sub>2</sub>		
6	Resistance element	Power film: Metal Oxide Film		
6	Resistance element	Wire-wound: Alloys		

#### 8. <u>Performance Specification</u>

Characteristic	Limits	Test Methods (GB/T5729&JIS-C-5201&IEC60115-1)		
Temperature Coefficient	≥20Ω: ±350PPM/°C <20Ω: ±400PPM/°C	4.8 Natural resistance changes per temp. Degree centigrade $\frac{R_2-R_1}{R_1(t_2-t_1)} \times 10^6 (PPM/^{\circ}C)$ R_1: Resistance Value at room temperature (t_1); R_2: Resistance at test temperature (t_2) t_1: +25 °C or specified room temperature t_2: Test temperature (-55 °C or 125 °C)		
Short-time overload	Resistance change rate must be in $\pm (5\%+0.05\Omega)$ ,and no mechanical damage.	4.13 Permanent resistance change after the application of a potential of 2.5 times RCWV or Max.Overload Votage whichever less for 5 seconds.		
Dielectric withstanding voltage	No evidence of flashover mechanical damage, arcing or insulation break down.	4.7 Resistors shall be clamped in the trough of a 90° metallic V-block and shall be tested at AC potential respectively specified in the above list for 60-70 seconds.for cement fixed resistors the testing voltage is 1000V.		
Resistance to soldering heat	Resistance change rate must be in $\pm$ (1%+0.05 $\Omega$ ), and no mechanical damage.	<ul> <li>4.18 Permanent resistance change when leads immersed to a point 2.0-</li> <li>2.5mm from the body in</li> <li>260 °C±5°c solder for 10±1 seconds.</li> </ul>		





Solderability	95% coverage Min.	<ul> <li>4.17 The area covered with a new, smooth, clean, shiny and continuous surface free from concentrated pinholes.</li> <li>Test temp. Of solder:245 °C ±3 °C</li> <li>Dwell time in solder: 2~3seconds.</li> </ul>		
Terminal strength	No evidence of mechanical damage	<ul> <li>4.16 Direct load: Resistance to a 2.5 kg direct load for 10 seconds in the direction of the longitudinal axis of the terminal leads. Twist test: Terminal leads shall be bent through 90°at a point of about 6mm from the body of the resistor and shall be rotated through 360° about the original axis of the bent terminal in alternating direction for a total of 3 rotations.</li> </ul>		
Humidity (Steady state)	Resistance change rate must be in±(5%+0.05 $\Omega$ ), and no mechanical damage.	4.24 Temporary resistance change after 240 hours exposure in a humidity test chamber controlled at 40±2℃ and 90~95%RH relative humidity		
Load life in humidity	For Wire-wound: $\Delta R/R$ : ±5% For Power film range: $< 100 K\Omega \Delta R/R$ : ±5% $\ge 100 K\Omega \Delta R/R$ : ±10%	7.9 Resistance change after 1000 hours (1.5 hours "ON" $\rightarrow$ 0.5 hours "OFF") at RCWV or Max.Working Voltage whichever less in a humidity test chamber controlled at 40±2°C and 93%±3% RH.		
Load life	For Wire-wound: $\Delta R/R$ : ±5% For Power film range: $< 100 K\Omega \Delta R/R$ : ±5% $\ge 100 K\Omega \Delta R/R$ : ±10%	4.25.1 Permanent Resistance change after 1000 hours operating at RCWV or Max.Working Voltage whichever less with duty cycle of 1.5 hours "ON", 0.5 hour "OFF" at $70\pm2^\circ$ C ambient.		
Low Temperature Storage	For Wire-wound: $\Delta R/R$ : $\pm 5\%$ For Power film range: $< 100 K\Omega \Delta R/R$ : $\pm 5\%$ $\ge 100 K\Omega \Delta R/R$ : $\pm 10\%$	IEC 60068-2-1 (Aa) Lower limit temperature, for 2H.		
High Temperature Exposure	For Wire-wound: $\Delta R/R$ : ±5% For Power film range: $< 100 K\Omega \Delta R/R$ : ±5% $\ge 100 K\Omega \Delta R/R$ : ±10%	MIL-STD-202 108A Upper limit temperature , for 16H.		

#### 9. <u>Note</u>

9.1. UNI-ROYAL recommend products store in warehouse with temperature between 15 to 35 °C under humidity between 25 to 75% RH.

Even under storage conditions recommended above, solder ability of products will be degraded stored over 1 year old. 9.2. Cartons must be placed in correct direction which indicated on carton, otherwise the reel or wire will be deformed.

9.3. Storage conditions as below are inappropriate:

- a. Stored in high electrostatic environment
- b. Stored in direct sunshine, rain, snow or condensation.
- c. Exposed to sea wind or corrosive gases, such as Cl<sub>2</sub>, H<sub>2</sub>S, NH<sub>3</sub>, SO<sub>2</sub>, NO<sub>2</sub>, etc.

Version	Description	Page	Date	Amended by	Checked by
1	First version	1~5	Mar.20, 2018	Haiyan Chen	Nana Chen
2	Modify characteristic	4~5	Feb.26, 2019	Haiyan Chen	Yuhua Xu
3	Modify characteristic	5	Nov.20,2020	Song Nie	Yuhua Xu
4	Modify the temperature coefficient test conditions	4	Nov.07, 2022	Haiyan Chen	Yuhua Xu
5	Modify Ordering Procedure	2	Mar.20, 2024	Haiyan Chen	Yuhua Xu